

4" Multiple Application Recessed Light

Multi-applications, Multi-colors, can be mounted to a compatible 4" recessed housing or attached to an standard 4" octagon junction box

Ideal for residential, office, retail, hospitality, soffits, drop ceilings, attics, hallways, bathrooms, kitchens, basements, entry ways, elevators, apartments, etc.



Dimmable



5 Years Limited Warranty



Wet Location



Instant On/ Off



New



Indoor



IC Rated



Air Tight

Screw

Used for mounting to ground wire "O" style connector




Mounting Screws

Used when mounted to a fire-rated octagon junction box



E26 Base Adaptor

Used when mounted to a compatible 4" recessed housing



Butterfly Mounting Clips With Screws

Used when mounted to a compatible 4" recessed housing



Magnet

Glass Diffuser

Durable Airtight Aluminum Body



Interchangeable Magnetic Trims for Your Option: White, Silver, Black, Chrome, Brushed Nickel, Cooper



Wattage



Lumens



Beam Angle



Lifespan



Color Rendering Index

Color Temperature Options

Warm White: 3000K


Neutral White: 4000K

Cool White: 5000K


Features

- **Interchangeable magnetic trims: white, black, silver, cooper, chrome and brushed nickel**
- Durable airtight aluminum body with iron trim
- Mounting: for use with a standard octagon junction box or 4" recessed housing
- Input voltage: AC 120V 50/60Hz
- Built-in on board driver with 90mA output and 120V AC input
- Fire-rated when used in a fire-rated octagon junction box
- 100%-10% dimming capability, this fixture is compatible with industry standard TRIAC/ELV dimmers
- Lifetime rated for greater than 50,000 hours
- Beam angle: 110°
- Suitable for wet locations

Dimensions



Ø4-7/8"(125mm)



1-1/8"(28mm)

Multi Overview



Mounting:

Can be mounted to a compatible 4" recessed housing via included butterfly clips, or attached to a standard 4" octagon junction box via mounting screws


Body:

On-face magnets secures one of three included magnetic trims

Interchangeable magnetic trims:

- 6 Iron trims
- White
 - Black
 - Silver
 - Cooper
 - Chrome
 - Brushed Nickel

Installation



Ordering Guide

| Picture | Model | Description |
|---------|--|---|
| | 4" Multiple Application Recessed Light - Warm White | |
| | HB-S8W-3KWH-MT | 4" 8W 3000K 500Lm Recessed Light White Finish |
| | 4" Multiple Application Recessed Light - Neutral White | |
| | HB-S8W-4KWH-MT | 4" 8W 4000K 510Lm Recessed Light White Finish |
| | 4" Multiple Application Recessed Light - Cool White | |
| | HB-S8W-5KWH-MT | 4" 8W 5000K 520Lm Recessed Light White Finish |

Accessories



Interchangeable Magnetic Trims - sold seperately

| | |
|----------------------------------|---|
| HB-IMT-WH | Interchangeable Magnetic Trim White Finish |
| HB-IMT-BK | Interchangeable Magnetic Trim Black Finish |
| HB-IMT-SR | Interchangeable Magnetic Trim Silver Finish |
| HB-IMT-CP | Interchangeable Magnetic Trim Cooper Finish |
| HB-IMT-CH | Interchangeable Magnetic Trim Chrome Finish |
| HB-IMT-BN | Interchangeable Magnetic Trim Brushed Nickel Finish |
| E26 Base Adaptor included | |
| HB-ADS-E26 | Used when mounted to a compatible 4" recessed housing |