

LED Slim Surface

Plastic or Die-cast Aluminum

Low Profile, Easy to Install, Applicable to Junction Box or Recessed Can Installation

Slim surface LED is characterized by a completely flat lens with a narrow flange, giving it an architecturally pleasing look. Ideal for residential, office, retail, hospitality, etc.





Plastic Round Series(5"/7"/9")



Plastic Square Series(4"/6"/9")



12" Plastic Round




12" Die-cast Aluminum Round & Square

Features

• Edge-lit technology to produce a smooth uniform lighting effect

- This 5/8" thick luminaire is easy to install on standard j-boxes with a quick snap
- Construction: plastic or die-cast aluminum with white translucent acrylic lens
- Apertures: round & square
- Glare controlling lens for comfortable light distribution
- Provides an affordable alternative to Air-Seal IC recessed housings or Fire-Rated boxes
- Input voltage: AC 120V 50/60Hz
- Solves the problem of limited plenum space
- Driver-On-Board technology eliminates the demand of a traditional LED driver
- Color rendering index: 80
- 100%-10% dimming capability, this fixture is compatible with industry standard TRIAC/ELV dimmers
- Lifetime rated for greater than 50,000 hours
- Beam angle: 120°



Standard




JA8 Option

Styles



Round



Square

Color Temperature Options

- Warm White: 3000K
- Neutral White: 4000K
- Cool White: 5000K

Trim Options



- White
- Black
- Brushed Nickel

Sizes (Plastic Series)


4" Square 111x111mm	5" Round Ø137mm	6" Square 161x161mm	7" Round Ø201mm	9" Round Ø228mm	9" Square 228x228mm	12" Round Ø306mm
10W	10W	15W	15W	18W	18W	22W
600Lm	600Lm	900Lm	900Lm	1200Lm	1200Lm	1450Lm

Sizes (Die-cast Aluminum Series)

12" Square 306x306mm	12" Round Ø306mm
22W	22W
1450Lm	1450Lm




Dimensions




Dual Installation

4" J-Box (For all models)



Accessories included:
Attach mounting bracket
to J-box
Click downlight into
mounting bracket



Mounting
Bracket



J-Box
Screws




Wire
Nuts



LED
Adapter

4" & 6" Housing (For all models except for 12")




Accessories sold separately:
Connect E26 adapter to the LED adapter
Insert mounting clips and push downlight
up until flush with ceiling



E26
Adapter



Mounting
Clips for 4"/5"








Mounting Clips
for 6"/7"/9"



Ground
Screw



LED
Adapter

Picture	Model	Description
	5" Plastic LED Slim Surface Round - Color Selectable	
	HB-SS5R10WCCT	5" 10W 4000K 620Lm Round White Finish Color Selectable from Warm to Cool White
	7" Plastic LED Slim Surface Round - Warm White	
	HB-SS7R15W3KWH	7" 15W 3000K 900Lm Round White Finish
	7" Plastic LED Slim Surface Round - Color Selectable	
	HB-SS7R15WCCT	7" 15W 4000K 920Lm Round White Finish Color Selectable from Warm to Cool White
	6" Plastic LED Slim Surface Round - Warm White	
	HB-S6S8W3KWH	6" 15W 3000K 900Lm Square White Finish
	6" Plastic LED Slim Surface Square - Color Selectable	
	HB-S6S8WCCT	6" 15W 920Lm Square White Finish Color Selectable from Warm White to Cool White

