# T5 LED Bar

## Much brighter than fluorescent

**Thin, sleek and easy to install**, the light is the perfect choice for all your task lighting applications Ideal for home, office, garage, ceiling, kitchen, under cabinet, super market, parking lot, school, hospital, basement and workshop etc.





#### • Ultra slim body and frosted milky PC diffuser, easy to hide

- Made of durable extruded aluminum frame with frosted milky PC lens
- No shadow linking connector
- Input voltage: AC 120V 50/60Hz
- Dimmable with Triac, ELV and incandescent dimmers
- Link up to 10 fixtures
- Easy installation: metal mounting clips with two screws
- Color rendering index: 80
- 6 lengths to choose from 9" to 58"
- Powered by LED integrated strip that maintains uniform intensity with 70% lumens at 50,000 hours average life
- Beam angle: 160°

**Length Options** 




# **Color Temperature Options**




# Warm White: 3000K







### Linking (Two Connection Options)



# **Dimensions**



# Installation (Metal Mounting Clips)



# **Ordering Guide**

| Picture                          | Model                      | Description                                   |
|----------------------------------|----------------------------|---|
|                                  | T5 LED Bar - Warm White    |   |
|                                  | HB-113-9-3K                | 9" 3W 3000K 260Lm                             |
|                                  | HB-113-11-3K               | 11-1/2" 5W 3000K 420Lm                        |
|                                  | HB-113-23-3K               | 22-5/8" 9W 3000K 760Lm                        |
|                                  | HB-113-34-3K               | 34-1/2" 14W 3000K 1120Lm                      |
|                                  | HB-113-46-3K               | 46-1/4" 18W 3000K 1530Lm                      |
|                                  |                            |   |
|                                  | T5 LED Bar - Neutral White |   |
|                                  | HB-113-9-4K                | 9" 3W 4000K 260Lm                             |
|                                  | HB-113-11-4K               | 11-1/2" 5W 4000K 440Lm                        |
| ~                                | HB-113-23-4K               | 22-5/8" 9W 4000K 880Lm                        |
|                                  | HB-113-34-4K               | 34-1/2" 14W 4000K 1240Lm                      |
|                                  | HB-113-46-4K               | 46-1/4" 18W 4000K 1650Lm                      |
|                                  |                            |   |
| ~                                |                            |   |
| HB-113-BBC                       | Below parts are included   |   |
| Back to back Connector           |                            |   |
| 33 41                            | HB-113-BBC                 | Back to back connector                        |
| Mounting Clips Kit               |                            |   |
| HB-113-MC                        | HB-113-MC                  | Metal Clips with Two PB 3x10mm Tapping Screws |
| HD-113-MC                        |                            |   |
| Accessories - Sold Seperately    |                            |   |
|                                  | Hardwire Box               |   |
|                                  | НВ-113-НВ                  | Hardwire Box with On/off Switch               |
|                                  | Flexible Connector         |   |
|                                  | HB-113-FC                  | 6"/12"/24" Flexible Connector                 |
| НВ-113-НВ НВ-113-FC НВ-113-FC-12 | Power Cord                 | -,,   |
|                                  | HB-113-PC                  | Power Feed with 6ft Wire                      |
|                                  | Wire                       |   |
| =                                | HB-113-Wire                | Black, white and green wire                   |
|                                  |                            |   |
| HB-113-PC HB-113-Wire            |                            |   |